

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
17 May 2001 (17.05.2001)

PCT

(10) International Publication Number  
**WO 01/35289 A1**

(51) International Patent Classification<sup>7</sup>: **G06F 17/60**

(21) International Application Number: PCT/US99/24016

(22) International Filing Date:  
10 November 1999 (10.11.1999)

(25) Filing Language: English

(26) Publication Language: English

(71) Applicant: **PRICING RESEARCH CORPORATION**  
[US/US]; 26 Taconic Road, Millwood, NJ 10546 (US).

(72) Inventor: **TALLURI, Kalyan**; 26 Taconic Road, Millwood, NJ 10546 (US).

(81) Designated States (*national*): AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW.


(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

**Published:**  
— With international search report.

(74) Agents: **BLAKE, William, A. et al.**; Jones, Tullar & Cooper, P.C., P.O. Box 2266 Eads Station, Arlington, VA 22202 (US).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **REVENUE MANAGEMENT SYSTEM AND METHOD**



(57) Abstract: A revenue management software system (10) supports decisions to accept or deny (108) requests (100) for resource capacity (seats, rooms, volume/weight, air time, etc.) using control logic that accesses (102) multidimensional lookup tables in a threshold value server (14, 104) of price values for each resource (flight leg, hotel day, etc.). Each dimension of each lookup table corresponds to a variable that affects the value of the resource i.e. the current time slot as one dimension and the number of available resources, e.g. seats, for the time slot for the other dimension. These variables are used to determine the minimum threshold value acceptable for the resource (102, 104). The threshold values are summed (108) and the request is accepted or denied (108) based on the requested fare and the total summed threshold values.

## Revenue Management System and Method

### Background of the Invention

#### 1. Field of the Invention

The present invention relates in general to a revenue management system (also referred to as “yield management” system) for allocating resources or inventory in which a multidimensional lookup table of threshold values is employed for each resource as the control logic for dynamically adjusting the acceptable revenue value for the resources as a function of two or more variables.

#### 2. Description of the Prior Art

Revenue management systems seek to maximize the revenue generated from a fixed service or productive capacity by selectively accepting or denying requests for capacity. For example, in airlines a network of flights with a set of seats are available for sale on a given day, and customers request seats in advance of travel for various itineraries on the network. Based on the current reservations already accepted for each flight (alternatively, the remaining capacity available), the time remaining in the sales horizon and forecasts of future demand for itineraries, airlines must decide which itineraries and fare classes to accept and which to deny (or close out).

These decisions are very detailed and complicated to make because future demand is typically highly uncertain and one must evaluate complex tradeoffs between the current and future value of capacity. Therefore, revenue management decisions are typically made or guided by a software system (revenue management system) that incorporates a variety of advanced statistical and mathematical methods. Revenue management is widely used in the airline, hotel and car-rental industries and is spreading to the energy, natural gas pipelines, broadcasting, shipping, sports, entertainment facilities, manufacturing, equipment leasing and cargo industries. Indeed, the practice is applicable in any industry that has limited short-term capacity flexibility and variable demand.

A variety of mathematical models have been proposed to solve the problem of which requests to accept or deny based on current capacity and forecasts of future demand. However, regardless of the mathematical model and assumptions used, revenue management software systems ultimately need an internal *control logic* to implement the accept/deny

recommendations. To date, two control schemes have been developed to implement accept/deny decisions: *nested capacity allocation* and *static-bid prices*.

The oldest and most widespread approach to implementing accept/deny decisions is to use nested capacity allocations (also called "booking limits") on the various classes and rates for the capacity. This is the approach used in the early work of Littlewood (1972) on discount fare class allocation. It was popularized in the academic literature by Belobaba (1987, 1989). This is the approach used in many of the older commercial revenue management systems.

One example of a nested capacity allocation scheme is known as Single-resource Nested Allocations. This approach was originally developed to allocate capacity of a single resource, for example a single flight leg, to one of  $n$  possible demand classes (fare-classes in airline industry). The control logic works as follows:

Let  $c$  be the total capacity. Let the net revenues of the  $n$  demand types be denoted  $f_i$  and assume without loss of generality that these demand classes are indexed so that  $f_1 > f_2 > \dots > f_n$ . A so-called nested allocation logic specifies values (*protection levels*)  $x_1, x_2, \dots, x_n$  that satisfy

$$0 \leq x_n \leq x_{n-1} \leq \dots \leq x_1 \leq c.$$

Let  $y$  denote the remaining capacity. The logic is to accept demand class  $i$  if and only if

$$y > x_i \quad i=1, \dots, n$$

That is, demand class  $i$  is accepted if the remaining capacity exceeds the protection level,  $x_i$ , for that class. An alternative and more popular method to implement this same logic is to define a set of *booking limits*,  $b_i$ , using

$$b_i = c - x_i$$

Let  $r$  denote the number of reservations on hand ( $r=c-y$ ). In this case, the logic is to accept a request from demand type  $i$  if and only if

$$r < b_i$$

That is, accept demand class  $i$  if and only if the number of reservations on hand is less than the booking limit for demand class  $i$ . The maximum available capacity for any class  $i$  is usually referred to as the *authorization level* and is defined by

$$a_i = \max\{b_i, 0\}$$

These are the control logic schemes described in Belobaba (1987, 1989) and Brumelle et al. (1990, 1993) and elsewhere. Belobaba (1987, 1988) describes some approximate methods for

setting allocation parameters while Brumelle et al. (1990, 1993) describe exact algorithms for computing the parameters.

Whatever method is used to compute the parameter values, the nested allocation structure has some distinct advantages. Namely, it has the desirable feature that a small number of control parameters ( $n$  booking limits or protection levels) can be calculated once by an optimization module. Then, the accept/deny decisions dynamically adjust as available capacity changes. That is, as more capacity is sold, more demand classes are “closed out” as booking limits are reached. Alternatively, when customers cancel, more capacity becomes available and some demand classes may “open up” as the available capacity exceeds their booking limits. In this way, the nested allocation structure adjusts to the evolving capacity conditions.

While the nested allocation scheme works well for a single resource, extending it to allocate capacity for multiple resources (legs of a flight network for example) is somewhat problematic. For example, it is not clear how to rank demand class that use different resources, so the nested structure becomes difficult to apply. Also, if allocations are defined for all revenue values and every combination of resources, the number of allocation values required becomes too large for practical implementation in a reservation system.

To avoid this large number of allocation values, most approaches for extending nested allocation control logic to networks involve converting the multiple-resource allocation problem into a collection of single-resource problems and then applying the controls generated by this collection of single-resource allocation problems.

This is accomplished as follows: First, the revenue values for a multiple resource request are adjusted by quantities that reflect the displacement value of the other resources used by the request. These *displacement-adjusted* fare values are then used to compute nested allocations for each leg. Displacement adjusted values are often clustered into “virtual classes” first to reduce the number of classes involved. This process of creating virtual classes is called *indexing* by Smith et al. (1992). See Williamson (1992) and Vinod (1990) for further discussion of this approach, which also goes by the name of *virtual nesting* (Smith et al. 1992).

These displacement-adjusted values have some advantages: They require only a small number of control variables and the nested allocation structure maintains the favorable

property of adjusting accept/deny decisions as available capacity changes. They also provide a maximum available capacity for each demand class through the authorization levels.

However, the displacement adjustment process and clustering into virtual classes adds a significant amount of complexity to the control logic. This complexity has made their implementation prohibitive for most users of revenue management systems.

An alternative control logic for multiple-resource problems is to use what are called resource *bid prices*. This idea was first proposed by Simpson (1989) and was extensively investigated in the Ph.D. dissertation of Williamson (1992). See also Curry (1992) and Phillips (1994). Let  $m$  denote the number of resources to allocate. In a bid price control scheme, values (bid prices)  $v_i$ ,  $i=1, \dots, m$  are set for each of the  $m$  resources. Suppose a request comes in to purchase a set of resources  $\{i_1, \dots, i_k\}$ . Then a bid price control would accept the request of net revenue value  $f$  if and only if

$$f > v_{i_1} + Y + v_{i_k}$$

That is, a request is accepted if and only if the fare exceeds the sum of the bid prices of all the capacity units required to satisfy the demand. The interpretation of the values  $v_i$  is that they represent the threshold value of resource capacity. Again, a variety of optimization methods and approximations have been proposed for determining the bid price parameter values. (See Simpson (1989) and Williamson (1992).)

The advantage of the bid price logic is that it requires very few parameters, one value for each resource, and does not require separate displacement adjustment and indexing steps. The main weakness is that the logic is not dynamic. Specifically, the accept/deny decisions do not change if remaining capacity fluctuates and/or the time remaining in the horizon changes. As a result, the bid price values  $v_i$  must be updated very frequently (usually by re-forecasting and re-optimizing a mathematical model) to ensure that they track changes in the available capacity among all resources. Ideally, this updating of bid-prices has to be done after each booking or cancellations (or change in the remaining resource) which is prohibitive to do operationally. They also do not provide any indication of the maximum available capacity for a given demand class and cannot be used directly to compute authorization levels.

### Summary of the Invention

In view of the foregoing, a need exists for a revenue management scheme that is robust enough to accommodate allocation of multiple resources, each of which is dependent on multiple variables, yet which possesses simplicity and ease of implementation. The present invention satisfies this need through use of multidimensional lookup tables that are employed to manage revenue from each resource as a function of a plurality of variables (such as time and capacity, for example). The main benefit of the approach is to add a high degree of flexibility and dynamic adjustment ability to the control logic while keeping the number of controls used to within acceptable operational limits.

In this control logic, a multidimensional table (array) of threshold values is specified for each resource. Each dimension (axis) of the table corresponds to a variable that affects the threshold value of the resource. In an exemplary two-dimensional table for determining threshold values for travel reservations, one dimension of the table,  $t$ , is selected to index the number of remaining time periods and the other,  $x$ , is selected to index the remaining capacity for the desired reservation.

The lookup tables are employed in the method of the present invention in the following manner. First, a request for a resource, or a combination of resources, is received in a system computer either from another system or computer, or from an operator entering the request manually. The request not only identifies each of the resources, but also identifies a revenue value for the resources. For example, a multiple flight leg itinerary for an airline reservation represents a multiple resource allocation scenario, with each leg of the flight representing one of the resources, and the entered or calculated expected fare for the itinerary representing the revenue value.

Once the request has been entered, the computer accesses the lookup table for each resource identified in the request. The control logic for using the tables is that the threshold value used at any point in time for any given resource is obtained by looking in the appropriate place in the table. As the variables defining the dimensions (e.g., available capacity and the time remaining) of the table change, the threshold value in the table can adapt. After the threshold values for the present combination of variables are extracted from the tables, the net revenue of a request is compared to the sum of the threshold values of the resources required by the request. If the net revenue exceeds or equals the total of the threshold values, then it is

accepted; if it does not, it is rejected. The ability of the threshold values for each resource to change as the variables (e.g., remaining capacity and remaining time) change, adds robustness and stability to the sale process – for instance, it offers protection that a sudden unexpected surge in demand at a low fare would not result in too much inventory being sold at a too low a rate (a problem with the static bid-price controls); at the same time, a persistent and inconsistent (with the forecasts) failure of demand to appear between re-forecasting re-optimizations would result in the current threshold value to automatically go down, a feature not present either in the allocation controls or static bid-price controls.

Thus, through this dynamic threshold value control logic, a considerable amount of dynamic adjustment capability can be achieved in a revenue or yield management system. At the same time, it preserves simplicity and speed, and requires only a modest number of control parameters, namely one table for each resource. Further, the present invention offers significant generalization in the degree of control, as well as superior robustness with respect to forecasting errors and operational factors compared to the current control logic used to control inventory in revenue management systems.

Another major advantage of the tables is that they can be used to quickly compute maximum allocations for each demand type. This is achieved by successively adding the threshold values and then decrementing each resource's capacity value until the sum of the threshold values exceeds the net revenue of the demand type. The amount by which the capacity was decremented gives the maximum capacity allocation for the demand type. This logic follows simply by considering how many requests of a given type would be accepted in sequence.

This decision logic requires only a simple table lookup (database query or memory access) operation, which is very fast. It is capable of mimicking the decisions of nested allocation and traditional bid price controls, but provides additional flexibility to allow the threshold values to adjust to capacity and time changes. It also allows for easy calculation of maximum available capacity for any given type of request. Moreover, since the lookup table logically separates the optimization modules and reservation-acceptance modules, it provides improved additional robustness in the operation of revenue management systems. Also, it simulates frequent re-optimizations and is highly resilient to forecasting errors and bias in the forecasts.

### Brief Description of the Drawings

The features and advantages of the present invention will become apparent from the following detailed description of a preferred embodiment thereof, taken in conjunction with the accompanying drawings, in which:

5           FIG. 1 is a schematic diagram of networked computer system that can be employed to implement the preferred embodiment of the present invention;

          FIGs. 2A and 2B are example two dimensional threshold value tables that are employed to illustrate the functionality of the preferred embodiment;

10           FIG. 3 is a flow chart illustrating the logic used in an exemplary application of the preferred embodiment for processing requests for seat reservations using the threshold value tables; and

          FIG. 4 is a flow chart illustrating the logic used in an exemplary application of the preferred embodiment for determining the maximum number of seats available at a predetermined fare using the threshold value tables.

### Detailed Description of a Preferred Embodiment

15           With reference first to FIG. 1, a revenue management system 10 is illustrated that is employed for implementing a first preferred embodiment of the present invention for managing reservations for a limited capacity resource, such as seats on an airline flight. The system 10 includes a plurality of networked computers 12, each of which communicates with a threshold value table server 14. In this embodiment of the invention, the threshold value table server 14 manages access to a plurality of lookup tables referred to as dynamic threshold value tables, each of which contains threshold values for a resource as a function of two or more variables. A reservation system computer 16 is interfaced to the threshold value table server 14 which handles reservation bookings requested through the computers 12, and manages the reservation yield. Finally, a database 18 is provided for maintaining historical records of all processed reservations.

25           In the operation of the system 10, a system operator enters a request for either a reservation or an authorization level for a particular itinerary into one of the computers 12. In response, the bid-price table server 14 accesses all applicable threshold value tables for the itinerary, and supplies them to the reservation system computer 16 for processing. In the case

30



of an itinerary consisting of multiple airline flight legs, a threshold value table will be provided for each flight leg. In this example, as will be discussed in greater detail below in conjunction with FIGs. 2A-2B, the reservation system computer 16 employs the threshold value tables to determine acceptable price values for each flight leg of the requested itinerary. The sum of these is compared to the net revenue expected from the use of the resources for the reservation system to determine whether the reservation will be accepted and/or how many reservations at the given revenue value will be accepted. The net revenue value is received by the system either by being entered by the system operator or another computer system. In addition, this value may be calculated by another system.

To better understand the threshold value tables and their use, reference is made to FIGs. 2A and 2B which illustrate two examples of such tables for two undefined resources, Resource 1 and Resource 2. Each of the tables comprises a two-dimensional table (array) of numerical values that is specified for each resource. One dimension or axis of the table,  $t$ , indexes the number of remaining time periods available for reserving the resource, and the other,  $x$ , indexes the remaining capacity for the resource. The shaded area in each of the tables represent regions where a revenue value of 80 and 25 for Resource 1 and Resource 2, respectively, will be accepted for the particular combination of  $t$  and  $x$ .

The threshold value used at any point in time for any given resource is obtained by looking in the appropriate place in the table. For example, consider *Table 1* of FIG. 2A. If the remaining capacity for this resource is 3 units and the remaining time index is 7, then the table value is 69.61. Thus, the threshold value in effect under these conditions is 69.91. If the available capacity changes or the time remaining changes, the threshold value in the table can adapt. Continuing the example, if the remaining time index is 7 and 2 of the 3 units of capacity are sold, one unit of capacity remains. In this case, the value in *Table 1* of FIG. 2A indicates that the threshold value has increased to 116.6.

As discussed above in conjunction with FIG. 1, the reservation system computer 16 compares the net revenue of a request to the sum of the threshold values of the resources required by the request. If the net revenue exceeds or equals the total of the threshold values, then it is accepted; if it does not, it is rejected. For example, suppose the time index remaining is 7, the *Table 1* resource has 3 units of capacity remaining and the *Table 2* resource has 4 units of capacity remaining. The acceptable threshold values for each resource are then 69.91

and 4.001, respectively. If a request is received that requires both resources with a net revenue of 70, the computer 16 compares it to the sum  $69.91 + 4.001 = 73.911$ . Since  $70 < 73.991$ , the request is rejected.

The difference between this process and conventional bid price logic is that the threshold value for each resource changes as remaining capacity and remaining time change. For example, if there is a cancellation of a previously accepted request for the resource in Table 1 so that the remaining capacity increases to 4, the new sum becomes  $34.71 + 4.001 = 38.781$ . In this case, a request with net revenue of 70 will be accepted. After accepting this request, however, the remaining capacity of resource 1 would be 3 again and the threshold value would rise to its previous value of 69.91. Therefore, another request of the same type would be rejected if it arrived next.

The logic of this decision rule is diagramed in the flow chart of FIG. 3 for the specific example where each resource is a seat on a flight leg of a requested itinerary  $i$ , and the threshold values in each lookup table represent minimum prices that will be accepted for the corresponding flight leg. First, at step 100, the seat reservation request is received from a system operator or another system, and identifies the itinerary  $i$ , as well as the fare  $f$ , which the passenger wishes to pay. Next, at step 102, the reservation system computer 16 performs a lookup operation for the current threshold value for each flight leg in the itinerary. This is accomplished by sending the current time and current capacity vector to the threshold value table server 14. In response, at step 104, the threshold value table server 14 accesses the threshold value table for each of the flight legs, and retrieves the price value for each leg corresponding to the time and capacity vector. The threshold values for all of the legs in the itinerary are then returned to the reservation system computer 16. Finally, at step 106, the reservation system computer sums all of the retrieved threshold values, and, at step 108, compares the sum to the requested fare  $f$ . If  $f$  is greater than or equal to the sum, the reservation is accepted; otherwise, it is rejected. If the reservation is accepted, a record of the reservation is sent to the database 18 so that the current capacity will be properly adjusted for the next reservation request requiring any of the legs in the itinerary  $i$ .

A second major advantage of the dynamically adjustable threshold value tables is that they can be used to quickly compute maximum allocations for each demand type. This is achieved by successively adding the threshold values and then decrementing each resource's

capacity value until the sum of the threshold values exceeds the net revenue of the demand type. The amount by which the capacity was decremented gives the maximum capacity allocation for the demand type. This logic follows simply by considering how many requests of a given type would be accepted in sequence. The logic is diagramed in the flow chart in FIG. 4, and an example of this authorization level calculation follows. First, at step 200, a system operator enters a request for the maximum possible seat reservations that will be accepted for an itinerary  $i$  at a fare per seat of no more than  $f$ . A count  $k$  is initialized to 0 to keep track of the total number of seats available at  $f$ . Next, at step 202, the process of FIG. 3 is carried out to determine whether a first seat reservation will be accepted at fare  $f$  for the current capacity and time vector. Assuming it will be accepted,  $k$  is incremented by 1 at step 204, and step 202 is repeated, but this time with the current used capacity incremented by 1, and the current available capacity decremented by 1. This process is repeated until the sum of the threshold values is greater than or equal to the fare  $f$  for the  $(k+1)$ th request. When this occurs, the value  $k$  is determined at step 206 to be the number of reservations that will be accepted at the fare  $f$  for the itinerary  $i$ , and this value is returned to the reservation/booking system.

To illustrate this process more clearly, the tables in FIGs. 2A and 2B may be employed in the following example. Consider Tables 1 and 2 with 10 units of time remaining, with Resource 1 having 6 units of capacity remaining (threshold value of 19.95) and with Resource 2 having 4 units remaining (threshold value of 14.5). Suppose it is desired that an authorization level be computed for a demand class that has a net revenue of 160 and requires both Resources 1 and 2.

Comparing 160 to the current threshold values of  $19.95 + 14.50 = 34.45$ , the first request of this type would be accepted. Proceeding, the capacity values of Resources 1 and 2 are decremented to 5 and 3, respectively, which yield threshold values of 44.03 and 38.66, respectively. The new sum of the prices is  $44.03 + 38.66 = 82.69$ . Since this sum is still less than 160, a second request of this type would be accepted. Continuing in this manner, it is determined that up to 3 units of the 160 demand type can be accepted without the threshold value total exceeding 160. However, the fourth request of this type would push the total threshold value from the tables up to 207.03, so that this request would be rejected. Thus, the maximum capacity that would be sold B the authorization level B is 3 units. In this way, an

authorization level can be quickly computed for any demand type with any associated net revenue and requiring any arbitrary set of resources.

Although the foregoing examples illustrate the process of the present invention, it will of course be understood that the invention is not limited to any particular application. On the contrary, the threshold value tables can be used for managing any type of resource reservation application where the threshold value of one or more resources varies as a function of two or more variables. For example, although the invention is particularly useful for managing transportation and accommodation related sales or reservations (e.g., airline, train, bus and hotel reservations, etc.), the invention may also be employed for managing cargo inventory. In this application, three-dimensional threshold value lookup tables are preferably employed, with one dimension for each of the following three variables that have an influence on current acceptable threshold values: time, weight and volume. Further, although the invention is particularly suited for determining acceptable monetary values for travel reservations, the lookup tables can be used for determining any type of acceptable threshold value that fluctuates as a function of two or more variables.

Other applications of the present invention include allocation of advertising time slots and allocation of tickets to facilities (sports, theaters, cinema, amusement parks, resorts). In the case of advertising time slots, the dimensions for the lookup table will be remaining available time-slots, and the time of broadcast for the media industry (television, radio, print media, Internet advertising, etc.). In the case of tickets to facilities, the dimensions for the lookup table will be time remaining until the scheduled event, and number of available seats remaining in each class.

In conclusion, the present invention, through use of the dynamically adjustable threshold value tables, provides a vastly improved and robust revenue or yield management system and method that can easily accommodate changes in resource threshold values in response to many variables, without requiring complex computer software. Although the present invention has been disclosed in terms of a preferred embodiment and variations thereon, it will be understood that numerous additional variations and modifications could be made thereto without departing from the scope of the invention as set forth in the following claims.

Claims

1. A computer implemented method for managing allocation of a resource comprising the steps of:

a) receiving a request for a first resource in a revenue management system computer;

b) accessing a multidimensional lookup table with said computer, said table including  
1) an axis for each dimension defining a corresponding one of a plurality of variables that affects an acceptable threshold value for said resource ; and 2) a plurality of threshold value entries for said resource, one for each of a plurality of combinations of values for said variables;

c) determining a present value for each of said variables;

d) retrieving a threshold value entry from said lookup table corresponding to a combination of said variables corresponding to the present value for each of said variables;

e) comparing the selected threshold value entry to an expected net revenue value for said resource; and

f) if the expected net revenue value is greater than or equal to the selected threshold value entry, generating an indication that the request for the resource will be accepted.

2. The method of claim 1, wherein said step of receiving a request further comprises receiving a request for a plurality of resources; said step of accessing further comprises accessing a plurality of said lookup tables, one for each of said resources; said step of comparing further comprises comparing a sum of the threshold value entries for each of said resources to a combined net revenue value for the plurality of the resources; and, said step of generating further comprises generating an indication that the request for the resources will be accepted if the net revenue value is greater than or equal to the sum of the selected threshold value entries.

3. The method of claim 2, wherein one dimension of each of said tables comprises capacity for the corresponding resource, and the step of generating an indication that the request for the resources will be accepted if the revenue value is greater than or equal to the sum of the selected threshold value entries further comprises the steps of:

1) if the revenue value is greater than or equal to the sum of the selected

threshold value entries, then:

i) determining that a request for said resources will be accepted at the revenue value for the current combination of values for said variables by incrementing a count for said number of acceptable requests by one unit;

5 ii) adjusting the current values of said variables as necessary to accommodate the reduction of available capacity of each of said resources by one unit; and

10 iii) returning to step c) for the adjusted current values of said variables to determine whether another request for said resources will be accepted at the revenue value;

2) if the revenue value is less than the sum of the threshold value entries in said lookup tables corresponding to the current combination of values for said variables, then outputting the value of said count as the total number of requests that will be presently accepted for said resources at said revenue value.

15 4. The method of claim 1, wherein one dimension of said table comprises capacity for the resource, and the step of generating an indication that the request for the resource will be accepted if the revenue value is greater than or equal to the selected threshold value entry further comprises the steps of:

20 1) if the revenue value is greater than or equal to the selected threshold value entry, then:

i) determining that a request for said resource will be accepted at the revenue value for the current combination of values for said variables by incrementing a count for said number of acceptable requests by one unit;

25 ii) adjusting the current values of said variables as necessary to accommodate the reduction of available capacity of said resource by one unit; and

iii) returning to step c) for the adjusted current values of said variables to determine whether another request for said resource will be accepted at the revenue value;

30 2) if the revenue value is less than the threshold value entry in said lookup table corresponding to the current combination of values for said variables, then outputting the

value of said count as the total number of requests that will be presently accepted for said resource at said revenue value.

5        5. The method of claim 1, wherein said resource comprises seats on a means of transportation for a trip to a selected destination, and said dimensions comprise remaining available seating capacity and remaining time until said trip is scheduled to commence.

10       6. The method of claim 1, wherein said resource comprises cargo space on or means of transportation for a trip to a selected destination, and said dimensions comprise remaining available cargo weight, remaining available cargo volume and time remaining until said trip is scheduled to commence.

15       7. The method of claim 2, wherein each of said resources comprises seats on a means of transportation for one of a plurality of legs of a trip to a selected destination, and said dimensions comprise remaining available seating capacity and remaining time until said trip is scheduled to commence.

20       8. The method of claim 2, wherein each of said resources comprises cargo space on means of transportation for one of a plurality of legs of a trip to a selected destination, and said dimensions comprise remaining available cargo weight, remaining available cargo volume and time remaining until said trip is scheduled to commence.

9. The method of claim 1, wherein said resource comprises advertising time slots and said dimensions comprise remaining available time-slots and the time of broadcast for the advertising.

25       10. The method of claim 2, wherein said resource comprises advertising time slots for one of a plurality of days and said dimensions comprise remaining available time-slots and the time of broadcast for advertising.

11. The method of claim 1, wherein said resource comprises tickets to facilities for at least one scheduled event, and said dimensions comprise time remaining until the scheduled

event, and the number of seats remaining in each of one or more classes for the event.

12. The method of claim 2, wherein said resources comprise tickets to facilities for a plurality of seats for a plurality of scheduled events, and said dimensions comprise time remaining until the scheduled events, and the number of seats remaining in each of one or more classes for the events.

13. The method of claim 1, wherein said threshold values in said lookup table represent the minimum price that will be accepted for said resource, said price varying as a function of said plurality of variables defining said dimensions of said lookup table.

14. The method of claim 2, wherein said threshold values in said lookup tables represent the minimum prices that will be accepted for each of said resources, said prices varying as a function of said plurality of variables defining said dimensions of said lookup tables.

15. A system for managing allocation of a resource comprising;  
a) a computer for processing requests for allocation of at least a first resource;  
b) at least a first lookup table interfaced to said computer containing a plurality of acceptable threshold value entries for said resource, one entry for each combination of values of a plurality of variables that have an affect on the acceptable threshold value for said resource; and

c) means in said computer for:

1) receiving a request for said resource;  
2) accessing said lookup table to retrieve a current acceptable threshold value for said resource based on a current combination of values for said variables;

3) comparing the retrieved threshold value from said lookup table to a net revenue value for said request; and

4) generating an indication that the request will be accepted if the net revenue value for the resource is greater than or equal to the threshold value in the lookup table, and that the request will be rejected otherwise.



16. The system of claim 15, wherein said computer processes requests for allocation of a plurality of resources, and said system further comprises a plurality of said lookup tables interfaced to said computer, each containing a plurality of acceptable threshold value entries for a corresponding one of said resources; and said means in said computer for receiving, accessing, comparing and generating further comprises means for:

- 1) receiving a request for said resources;
- 2) accessing said lookup tables to retrieve current acceptable threshold values for each of said resources based on current combinations of values for said variables;
- 3) comparing a sum of the retrieved threshold values from said lookup tables to a net revenue value for said request; and
- 4) generating an indication that the request will be accepted if the net revenue value for the resource is greater than or equal to the sum of the threshold values in the lookup tables, and that the request will be rejected otherwise.

17. The system of claim 16, wherein one dimension of each of said tables comprises capacity for the corresponding resource, and said means in said computer for receiving, accessing, comparing and generating further comprises means for determining a total number of requests for said resources that will be accepted at said net revenue value.

18. The system of claim 15, wherein one dimension said table comprises capacity for said resource, and said means in said computer for receiving, accessing, comparing and generating further comprises means for determining a total number of requests for said resource that will be accepted at said net revenue value.

19. The system of claim 15, wherein the threshold values in said lookup table represent minimum acceptable prices for said resource as a function of said variables, and said variables are selected from the group comprising remaining capacity, remaining time, remaining volume and remaining weight for said resource.


20. The system of claim 16, wherein the threshold values in said lookup tables

represent minimum acceptable prices for said resources as a function of said variables, and said variables are selected from the group comprising remaining capacity, remaining time, remaining volume and remaining weight for said resources.

5

10

1/4



2/4

Table 1 - Resource 1

t	x	0	1	2	3	4	5	6	7	8	9	10
0	0	0	0	0	0	0	0	0	0	0	0	0
1	0	48	0	0	0	0	0	0	0	0	0	0
2	0	76.8	19.2	0	0	0	0	0	0	0	0	0
3	0	94.08	42.24	7.68	0	0	0	0	0	0	0	0
4	0	104.4	62.98	21.5	3.072	0	0	0	0	0	0	0
5	0	110.7	78.56	38.09	10.44	1.229	0	0	0	0	0	0
6	0	114.4	92.01	54.68	21.5	4.915	0.492	0	0	0	0	0
7	0	116.6	101	69.61	34.78	11.55	2.261	0.197	0	0	0	0
8	0	118	107.2	82.15	48.71	20.84	5.977	1.022	0.079	0	0	0
9	0	118.8	111.5	92.19	62.09	31.99	11.92	3.004	0.456	0.031	0	0
10	0	119.3	114.4	99.93	74.13	44.03	19.95	6.571	1.475	0.201	0.013	0

IG. 2A

Table 2 - Resource 2

t	x	0	1	2	3	4	5	6	7	8	9	10
0	0	0	0	0	0	0	0	0	0	0	0	0
1	0	24	0	0	0	0	0	0	0	0	0	0
2	0	43.2	4.8	0	0	0	0	0	0	0	0	0
3	0	58.56	12.48	0.96	0	0	0	0	0	0	0	0
4	0	70.85	21.7	3.264	0.192	0	0	0	0	0	0	0
5	0	80.68	31.53	8.95	0.806	0.038	0	0	0	0	0	0
6	0	88.54	41.36	11.87	2.035	0.192	0.008	0	0	0	0	0
7	0	94.83	50.79	17.76	4.001	0.561	0.045	0.002	0	0	0	0
8	0	99.87	59.6	24.37	6.754	1.249	0.148	0.01	3E-04	0	0	0
9	0	103.9	67.66	31.42	10.28	2.35	0.368	0.038	0.002	6E-05	0	0
10	0	107.1	74.9	38.66	14.5	3.935	0.764	0.104	0.009	5E-04	1E-05	0

IG. 2B

3/4




FIG. 3

4/4




FIG. 4

## INTERNATIONAL SEARCH REPORT

 International application No.  
 PCT/US99/24016

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : G06F 17/60

US CL : 705/8, 400

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 705/1, 5, 6, 7, 8, 9, 400

 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched  
 NONE

 Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)  
 NONE

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5,021,953 A (WEBBER et al) 04 June 1991, see abstract.	1-20
A	US 5,270,921 A (HORNICK) 14 December 1993, see abstract.	1-20
A	US 5,331,546 A (WEBBER et al) 19 July 1994, see abstract.	1-20
A	WO 98/30040 A2 (CROSLIN) 09 July 1998, see abstract.	1-20
X	US 5,918,209 A (CAMPBELL et al) 29 June 1999, see abstract; figures 2B, 4-6, 8-10, 12, 14A & 18-26; and column 1, lines 21-28, and column 8, lines 22-39	1-20



Further documents are listed in the continuation of Box C.



See patent family annex.

\* Special categories of cited documents:

\*A\* document defining the general state of the art which is not considered to be of particular relevance

\*E\* earlier document published on or after the international filing date

\*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\* document referring to an oral disclosure, use, exhibition or other means

\*P\* document published prior to the international filing date but later than the priority date claimed

\*T\*

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\*

document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\*

document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

\*G\*

document member of the same patent family

Date of the actual completion of the international search

02 APRIL 2000

Date of mailing of the international search report

15 MAY 2000

 Name and mailing address of the ISA/US  
 Commissioner of Patents and Trademarks  
 Box PCT  
 Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

EDWARD R COSIMANO

Telephone No.

(703) 308-9782

Joni Hill